



**Town of Arlington, Massachusetts**  
730 Massachusetts Ave., Arlington, MA 02476  
Phone: 781-316-3000

**webmaster@town.arlington.ma.us**

## **Conservation Commission Agenda, October 4, 2007**

ARLINGTON CONSERVATION COMMISSION  
AGENDA

OCTOBER 4, 2007

7:30pm Call meeting to order and review agenda

7:35pm Other Commission Business:

Walking book – Cultural grant application due Oct 15, review draft

Cookes Hollow project – review new RFP

Reservoir planting – update

Brattle Conservation land letter sent 9/25 by DW

**Minutes:** approve 8/16, 9/6 and Executive Session on 9/6

**Fiscal:**

**Administrative:**

7:45pm 22 FRAZIER RD – REQUEST FOR DETERMINATION OF APPLICABILITY for deck construction

8:15pm WORKING SESSION - 67 BEVERLY RD addition

**Enforcements:** Fees and Fines - review of procedures

78 Bow St paving – NON sent 9/26 to owners

**Project Updates:**

Spy Pond Park (DEP File #91-170). COC requested. Site conditions report received from Carol Johnson. OM DEP file documents received, under review. More information needed.

40-42 Brattle St. (DEP file #91-186) – monitoring report rcvd 8/07

Menotomy Rocks Parks paths (DEP file# 187) – update

Wellington Park ropes course– erosion controls installed 9/29

**Announcements:**

Mystic River Watershed Association water quality samples found that **Spy Pond** has a microcystis (bluegreen) **algae bloom** and therefore as of 9/6/07, there is public health advisory against swimming, wading and dog/pet bathing. The situation should remain in effect until either the temperature drops to kill the algae or rains dilute the toxins to safer levels.

The water quality appeared fine on the main parts of the pond, while kayaking on 9/30. The water level was still quite low. There were swan (with juveniles), Canada geese, cormorants, mallards, and seagulls.

**Preliminary FEMA flood maps** are due week of October 10.

**Mystic River gets a D rating** from EPA. Globe Article 4/17/07.